Geotechnical Testing Journal
Author Index to Volume 27
2004

Number	Month of Issue	Pages
1	January	1–122
2	March	123–228
3	May	229–336
4	July	337–422
5	September	423–514
6	November	515–629

A

Abdelrazig, Y: *see* Abichou, T, Tawfiq, K, and Abdelrazig, Y

Abichou, T, Tawfiq, K, and Abdelrazig, Y: Using Electrical Conductivity to Estimate Properties of Mineral Slurries Used in Drilled Shaft Construction, Nov., 532

Agus, SS: *see* Leong, EC, Agus, SS, and Rahardjo, H

Ahnberg, H: Effects of Back Pressure and Strain Rate Used in Triaxial Testing of Stabilized Organic Soils and Clays, May, 250

Alexis, A, Le bras, G, and Thomas, P: Experimental Bench for Study of Settling-Consolidation Soil Formation, Nov., 557

Alonso, EE: *see* Oldecop, LA and Alonso, EE

Alshibli, KA, Godbold, DL, and Hoffman, K: The Louisiana Plane Strain Apparatus for Soil Testing, July, 337

Alshibli, KA: *see* Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M

Amini, F and Chakravrty, A.: Liquefaction Testing of Layered Sand-Gravel Composites, Jan., 36

Assaad, A and Masad, E: Analysis of Factors Influencing the Shear Deformation of Granular Materials, Sept., 504

Aydilek, AH and Edil, TB: Evaluation of Woven Geotextile Pore Structure Parameters Using Image Analysis, Jan., 99

B

Baidya, DK: *see* Mandal, A and Baidya, DK

Bang, ES: *see* Kim, DS, Bang, ES, and Kim, WC

Bathurst, RJ: *see* Shinoda, M and Bathurst, RJ

Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M: Shear Band Characterization of Triaxial Sand Specimens Using Computed Tomography, Nov., 568

Benson, CH: *see* Wang, X and Benson, CH

Bergado, DT: *see* Youwai, S, Bergado, DT, and Supawiwat, N

Bray, JD: *see* Whang, DH, Stewart, JP, and Bray, JD

C

Cabral, A: *see* Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG

Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G: Determination of the Soil Water Characteristic Curve of Highly Compressible Materials: Case Study of Pulp and Paper By-Product, March, 154

Cabral, AR, Tremblay, P, and Lefebvre, G: Determination of the Diffusion Coefficient of Oxygen for a Cover System Including a Pulp and Paper By-Product, March, 184

Chakrabarti, S: *see* Nahlawi, H, Chakrabarti, S, and Kodikara, J

Chakravrty, A.: *see* Amini, F and Chakravrty, A.

Chan, IC: *see* Seah, TH, Sangtian, N, and Chan, IC

Chang, B: *see* Ooi, P, Chang, B, and Seki, GY

Chapuis, RP: Permeability Tests in Rigid-Wall Permeameters: Determining the Degree of Saturation, Its Evolution and Its Influence on Test Results, May, 304

Chaudhary, SK: *see* Hayano, Y, Chaudhary, SK, and Kuwano, J

Chen, TJ: *see* Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF

Chow, SH and Wong, KS: Model Pile Pull-Out Tests Using Polyethylene Sheets to Reduce Downdrag on Cast In Situ Piles, May, 230

Corfdir, A, Lerat, P, and Vardoulakis, I: A Cylinder Shear Apparatus, Sept., 447

Cuisinier, O and Masrouri, F: Testing the Hydromechanical Behavior of a Compacted Swelling Soil, Nov., 598

D

De Ronch, M: *see* Simonini, P and De Ronch, M

DeGroot, DJ: *see* Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM

Dell' Avanzi, E: *see* Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG

Dolinar, B and Trauner, L: Liquid Limit and Specific Surface of Clay Particles, Nov., 580

Du, YJ and Hayashi, S: Effect of Leachate Composition on the Adsorption Properties of Two Soils, July, 404

E

Edil, TB: *see* Aydilek, AH and Edil, TB

F

Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF: Reduction of Boundary Friction in Model Tests, Jan., 3

Fell, R: *see* Wan, CF and Fell, R

Finno, RJ: *see* Rechenmacher, AL and Finno, RJ

Fox, PJ, Lee, J, and Qiu, T: Discussion of "A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation" by R. G. Robinson, T. S. Tan, and F. H. Lee, July, 416

Geotechnical Testing Journal
Author Index to Volume 27
2004

Number	Month of Issue	Pages
1	January	1–122
2	March	123–228
3	May	229–336
4	July	337–422
5	September	423–514
6	November	515–629

A

Abdelrazig, Y: *see* Abichou, T, Tawfiq, K, and Abdelrazig, Y

Abichou, T, Tawfiq, K, and Abdelrazig, Y: Using Electrical Conductivity to Estimate Properties of Mineral Slurries Used in Drilled Shaft Construction, Nov., 532

Agus, SS: *see* Leong, EC, Agus, SS, and Rahardjo, H

Ahnberg, H: Effects of Back Pressure and Strain Rate Used in Triaxial Testing of Stabilized Organic Soils and Clays, May, 250

Alexis, A, Le bras, G, and Thomas, P: Experimental Bench for Study of Settling-Consolidation Soil Formation, Nov., 557

Alonso, EE: *see* Oldecop, LA and Alonso, EE

Alshibli, KA, Godbold, DL, and Hoffman, K: The Louisiana Plane Strain Apparatus for Soil Testing, July, 337

Alshibli, KA: *see* Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M

Amini, F and Chakravrty, A.: Liquefaction Testing of Layered Sand-Gravel Composites, Jan., 36

Assaad, A and Masad, E: Analysis of Factors Influencing the Shear Deformation of Granular Materials, Sept., 504

Aydilek, AH and Edil, TB: Evaluation of Woven Geotextile Pore Structure Parameters Using Image Analysis, Jan., 99

B

Baidya, DK: *see* Mandal, A and Baidya, DK

Bang, ES: *see* Kim, DS, Bang, ES, and Kim, WC

Bathurst, RJ: *see* Shinoda, M and Bathurst, RJ

Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M: Shear Band Characterization of Triaxial Sand Specimens Using Computed Tomography, Nov., 568

Benson, CH: *see* Wang, X and Benson, CH

Bergado, DT: *see* Youwai, S, Bergado, DT, and Supawiwat, N

Bray, JD: *see* Whang, DH, Stewart, JP, and Bray, JD

C

Cabral, A: *see* Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG

Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G: Determination of the Soil Water Characteristic Curve of Highly Compressible Materials: Case Study of Pulp and Paper By-Product, March, 154

Cabral, AR, Tremblay, P, and Lefebvre, G: Determination of the Diffusion Coefficient of Oxygen for a Cover System Including a Pulp and Paper By-Product, March, 184

Chakrabarti, S: *see* Nahlawi, H, Chakrabarti, S, and Kodikara, J

Chakravrty, A.: *see* Amini, F and Chakravrty, A.

Chan, IC: *see* Seah, TH, Sangtian, N, and Chan, IC

Chang, B: *see* Ooi, P, Chang, B, and Seki, GY

Chapuis, RP: Permeability Tests in Rigid-Wall Permeameters: Determining the Degree of Saturation, Its Evolution and Its Influence on Test Results, May, 304

Chaudhary, SK: *see* Hayano, Y, Chaudhary, SK, and Kuwano, J

Chen, TJ: *see* Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF

Chow, SH and Wong, KS: Model Pile Pull-Out Tests Using Polyethylene Sheets to Reduce Downdrag on Cast In Situ Piles, May, 230

Corfdir, A, Lerat, P, and Vardoulakis, I: A Cylinder Shear Apparatus, Sept., 447

Cuisinier, O and Masrouri, F: Testing the Hydromechanical Behavior of a Compacted Swelling Soil, Nov., 598

D

De Ronch, M: *see* Simonini, P and De Ronch, M

DeGroot, DJ: *see* Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM

Dell' Avanzi, E: *see* Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG

Dolinar, B and Trauner, L: Liquid Limit and Specific Surface of Clay Particles, Nov., 580

Du, YJ and Hayashi, S: Effect of Leachate Composition on the Adsorption Properties of Two Soils, July, 404

E

Edil, TB: *see* Aydilek, AH and Edil, TB

F

Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF: Reduction of Boundary Friction in Model Tests, Jan., 3

Fell, R: *see* Wan, CF and Fell, R

Finno, RJ: *see* Rechenmacher, AL and Finno, RJ

Fox, PJ, Lee, J, and Qiu, T: Discussion of "A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation" by R. G. Robinson, T. S. Tan, and F. H. Lee, July, 416

Fredlund, DG: *see* Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG

Fu, Q: *see* Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM

G

Gilbert, RB: *see* Welker, AL and Gilbert, RB

Godbold, DL: *see* Alshibli, KA, Godbold, DL, and Hoffman, K

GovindaRaju, L: *see* Sithharam, TG, GovindaRaju, L, and Srinivasa Murthy, BR

Greening, PD and Nash, D: Frequency Domain Determination of G Using Bender Elements, May, 288

H

Hajduk, EL: *see* Paikowsky, SG and Hajduk, EL

Hanson, JL, Neuhaeuser, S, and Yesiller, N: Development and Calibration of a Large-Scale Thermal Conductivity Probe, July, 393

Hayano, Y, Chaudhary, SK, and Kuwano, J: Measurement of Quasi-Elastic Stiffness Parameters of Dense Toyoura Sand in Hollow Cylinder Apparatus and Triaxial Apparatus with Bender Elements, Jan., 23

Hayashi, S: *see* Du, YJ and Hayashi, S

Hiltunen, DR: *see* Marosi, KT and Hiltunen, DR

Hird, CC and Sangtian, N: Experiments with a Miniature Piezocone in Thinly Layered Soil, Jan., 67

Hoffman, K: *see* Alshibli, KA, Godbold, DL, and Hoffman, K

Holtz, RD: *see* Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF

Hoque, E and Tatsuoka, F: Triaxial System Measuring Loading-Rate Effects of Sand Deformation in Cycle Test, Sept., 483

Hoyos, LR: *see* Puppala, AJ, Katha, B, and Hoyos, LR

Hsieh, CW and Lin, CK: Tensile Test Method Effect on the Tensile Strength of Flexible PET Geogrids, Jan., 111

K

Kakuturu, SP: *see* Reddi, LN and Kakuturu, SP

Katha, B: *see* Puppala, AJ, Katha, B, and Hoyos, LR

Kim, DS, Bang, ES, and Kim, WC: Evaluation of Various Downhole Data Reduction Methods for Obtaining Reliable Vs Profiles, Nov., 585

Kim, WC: *see* Kim, DS, Bang, ES, and Kim, WC

Kodikara, J: *see* Nahlawi, H, Chakrabarti, S, and Kodikara, J

Kuwano, J: *see* Hayano, Y, Chaudhary, SK, and Kuwano, J

L

Lankton, M: *see* Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M

Le bras, G: *see* Alexis, A, Le bras, G, and Thomas, P

Lee, FH: *see* Robinson, RG, Tan, TS, and Lee, FH

Lee, J: *see* Fox, PJ, Lee, J, and Qiu, T

Lee, LT: Method to Rapidly Assess the Index Properties of Fine-Grained Dredged Materials, Sept., 464

Lee, TT: *see* Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB

Lee, WF: *see* Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF

Lefebvre, G: *see* Cabral, AR, Tremblay, P, and Lefebvre, G
see Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G

Leong, EC, Agus, SS, and Rahardjo, H: Volume Change Measurement of Soil Specimen in Triaxial Test, Jan., 47

Leong, EC, Tripathy, S, and Rahardjo, H: A Modified Pressure Plate Apparatus, May, 322

Leong, EC:
see Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB
see Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG
see Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC
see Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB
see Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG
see Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC

Lerat, P: *see* Corfdir, A, Lerat, P, and Vardoulakis, I

Likos, WJ: Measurement of Crystalline Swelling in Expansive Clay, Nov., 540

Lin, CK: *see* Hsieh, CW and Lin, CK

M

Madhav, MR: *see* Phanikumar, BR, Sharma, RS, Rao, AS, and Madhav, MR

Mandal, A and Baidya, DK: Effect of Presence of Rigid Base within the Soil on the Dynamic Response of Rigid Surface Foundation, Sept., 475

Mandeville, D and Penumadu, D: True Triaxial Testing System for Clay with Proportional-Integral-Differential (PID) Control, March, 134

Marinho, FA: *see* Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G

Marosi, KT and Hiltunen, DR: Characterization of SASW Phase Angle and Phase Velocity Measurement Uncertainty, March, 205

Masad, E: *see* Assaad, A and Masad, E

Masrouri, F: *see* Cuisinier, O and Masrouri, F

Matsuoka, H: *see* Sun, DA, Matsuoka, H, and Xu, YF

Ming, JP: *see* Zhou, C, Yin, JH, and Ming, JP

Muhunthan, B, Pillai, VS, and Olcott, D: Measurement of Energy and Strength of Sand at Critical State, March, 198

Murakami, S: *see* Song, BW, Yasuhara, K, and Murakami, S

N

Nagaraj, HB: *see* Sridharan, A and Nagaraj, HB

Nahlawi, H, Chakrabarti, S, and Kodikara, J: A Direct Tensile Strength Testing Method for Unsaturated Geomaterials, July, 356

Nash, D: *see* Greening, PD and Nash, D

Neuhaeuser, S: *see* Hanson, JL, Neuhaeuser, S, and Yesiller, N

O

Olcott, D: *see* Muhunthan, B, Pillai, VS, and Olcott, D

Oldecop, LA and Alonso, EE: Testing Rockfill Under Relative Humidity Control, May, 269

Ooi, P, Chang, B, and Seki, GY: Examination of Proof Test Extrapolation for Drilled Shafts, March, 123

P

Paik, K and Salgado, R: Effect of Pile Installation Method on Pipe Pile Behavior in Sands, Jan., 78

Paikowsky, SG and Hajduk, EL: Design and Construction of Three Instrumented Test Piles to Examine Time Dependent Pile Capacity Gain, Nov., 515

Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG: Determination of the Hydraulic Conductivity Function of a Highly Compressible Material Based on Tests with Saturated Samples, Nov., 614

Penumadu, D: *see* Mandeville, D and Penumadu, D

Phanikumar, BR, Sharma, RS, Rao, AS, and Madhav, MR: Granular Pile-Anchor Foundation (GPAF) System for Improving the Engineering Behavior of Expansive Clay Beds, May, 279

Pillai, VS: *see* Muhunthan, B, Pillai, VS, and Olcott, D

Planchet, L: *see* Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G

Prakash, K and Sridharan, A: Free Swell Ratio and Clay Mineralogy of Fine-Grained Soils, March, 220

Puppala, AJ, Katha, B, and Hoyos, LR: Volumetric Shrinkage Strain Measurements in Expansive Soils Using Digital Imaging Technology, Nov., 547

Q

Qiu, T: *see* Fox, PJ, Lee, J, and Qiu, T

R

Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB: A Flume for Assessing Flux Boundary Characteristics in Rainfall-Induced Slope Failure Studies, March, 145

Rahardjo, H:
see Leong, EC, Agus, SS, and Rahardjo, H
see Leong, EC, Tripathy, S, and Rahardjo, H
see Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG
see Leong, EC, Agus, SS, and Rahardjo, H
see Leong, EC, Tripathy, S, and Rahardjo, H
see Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG
see Leong, EC, Agus, SS, and Rahardjo, H
see Leong, EC, Tripathy, S, and Rahardjo, H
see Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG

Rahardjo, H: *see* Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC

Ramos, R: *see* Stormont, JC and Ramos, R

Rao, AS: *see* Phanikumar, BR, Sharma, RS, Rao, AS, and Madhav, MR

Rechenmacher, AL and Finno, RJ: Digital Image Correlation to Evaluate Shear Banding in Dilative Sands, Jan., 13

Reddi, LN and Kakuturu, SP: Self-Healing of Concentrated Leaks at Core-Filter Interfaces in Earth Dams, Jan., 89

Reshma, AC: *see* Sreedeep, S, Reshma, AC, and Singh, DN

Rezaur, RB: *see* Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB

Robinson, RG, Tan, TS, and Lee, FH: Closure to "Discussion of 'A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation' by Patrick J. Fox" by R. G. Robinson, T. S. Tan, and F. H. Lee, July, 418

Ryan, RM: *see* Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM

S

Salgado, R: *see* Paik, K and Salgado, R

Sangtian, N:
see Hird, CC and Sangtian, N
see Seah, TH, Sangtian, N, and Chan, IC

Seah, TH, Sangtian, N, and Chan, IC: Vane Shear Behavior of Soft Bangkok Clay, Jan., 57

Seah, TH, Tangthansup, B, and Wongsatian, P: Horizontal Coefficient of Consolidation of Soft Bangkok Clay, Sept., 430

Seki, GY: *see* Ooi, P, Chang, B, and Seki, GY

Sharma, RS: *see* Phanikumar, BR, Sharma, RS, Rao, AS, and Madhav, MR

Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM: Use of 'Zero Controlled Gradient' Tests to Determine EOP Compression Behavior, May, 314

Shinoda, M and Bathurst, RJ: Strain Measurement of Geogrids Using a Video-Extensometer Technique, Sept., 456

Simonini, P and De Ronch, M: Use of EPS Grains to Simulate the Behavior of MSW in Simple Shear, Sept., 441

Singh, DN: *see* Sreedeep, S, Reshma, AC, and Singh, DN

Sithharam, TG, GovindaRaju, L, and Srinivasa Murthy, BR: Evaluation of Liquefaction Potential and Dynamic Properties of Silty Sand Using Cyclic Triaxial Testing, Sept., 423

Song, BW, Yasuhara, K, and Murakami, S: Direct Simple Shear Testing for Post-Cyclic Degradation in Stiffness of Nonplastic Silt, Nov., 607

Soo, KD and Woo, KH: Evaluation of the Base Condition of Drilled Shafts by the Impact-Echo Method, Sept., 496

Sreedeep, S, Reshma, AC, and Singh, DN: Laboratory Investigations on Determination of Soil Electrical Resistivity, July, 411

Sridharan, A and Nagaraj, HB: Coefficient of Consolidation and its Correlation with Index Properties of Remolded Soils, Sept., 469

Sridharan, A: *see* Prakash, K and Sridharan, A

Srinivasa Murthy, BR: *see* Sithharam, TG, GovindaRaju, L, and Srinivasa Murthy, BR

Stewart, JP: *see* Whang, DH, Stewart, JP, and Bray, JD

Stormont, JC and Ramos, R: Characterization of a Fiberglass Geotextile for Unsaturated In-Plane Water Transport, March, 214

Sture, S: *see* Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M

Sun, DA, Matsuoka, H, and Xu, YF: Collapse Behavior of Compacted Clays in Suction-Controlled Triaxial Tests, July, 362

Supawiwat, N: *see* Youwai, S, Bergado, DT, and Supawiwat, N

T

Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG: A Physical Model for Sloping Capillary Barriers, March, 173

Tan, TS: *see* Robinson, RG, Tan, TS, and Lee, FH

Tangthansup, B: *see* Seah, TH, Tangthansup, B, and Wongsatian, P

Tatsuoka, F: *see* Hoque, E and Tatsuoka, F

Tawfiq, K: *see* Abichou, T, Tawfiq, K, and Abdelrazig, Y

Thomas, P: *see* Alexis, A, Le bras, G, and Thomas, P

Trauner, L: *see* Dolinar, B and Trauner, L

Tremblay, P: *see* Cabral, AR, Tremblay, P, and Lefebvre, G

Tripathy, S: *see* Leong, EC, Tripathy, S, and Rahardjo, H

V

Vardoulakis, I: *see* Corfdir, A, Lerat, P, and Vardoulakis, I

W

Wan, CF and Fell, R: Laboratory Tests on the Rate of Piping Erosion of Soils in Embarkment Dams, May, 295

Wang, X and Benson, CH: Leak-Free Pressure Plate Extractor for Measuring the Soil Water Characteristic Curve, March, 163

Welker, AL and Gilbert, RB: Design of a Measurement Program for Bench-Scale PVD Remediation System Tests, May, 239

Whang, DH, Stewart, JP, and Bray, JD: Effect of Compaction Conditions on the Seismic Compression of Compacted Fill Soils, July, 371

Wibawa, B: *see* Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC

Wong, KS: *see* Chow, SH and Wong, KS

Wongsatian, P: *see* Seah, TH, Tangthansup, B, and Wongsatian, P

Woo, KH: *see* Soo, KD and Woo, KH

X

Xu, YF: *see* Sun, DA, Matsuoka, H, and Xu, YF

Y

Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC: A Soil Column Apparatus for Laboratory Infiltration Study, July, 347

Yasuhara, K: *see* Song, BW, Yasuhara, K, and Murakami, S

Yesiller, N: *see* Hanson, JL, Neuhaeuser, S, and Yesiller, N

Yin, JH: *see* Zhou, C, Yin, JH, and Ming, JP

Youwai, S, Bergado, DT, and Supawiwat, N: Interaction Between Hexagonal Wire Reinforcement and Rubber Tire Chips With and Without Sand Mixture, May, 260

Z

Zhou, C, Yin, JH, and Ming, JP: Influence of Soaking on Stress-Strain Characteristics of Fly Ash, July, 380

Zornberg, JG: *see* Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG

Geotechnical Testing Journal
Subject Index to Volume 27
2004

A

Adsorption
Effect of Leachate Composition on the Adsorption Properties of Two Soils (Du, YJ and Hayashi, S), July, 404

Anisotropy
Vane Shear Behavior of Soft Bangkok Clay (Seah, TH, Sangtian, N, and Chan, IC), Jan., 57

B

Back pressure
Effects of Back Pressure and Strain Rate Used in Triaxial Testing of Stabilized Organic Soils and Clays (Ahnberg, H), May, 250

Bayes
Design of a Measurement Program for Bench-Scale PVD Remediation System Tests (Welker, AL and Gilbert, RB), May, 239

Bender elements
Frequency Domain Determination of G Using Bender Elements (Greening, PD and Nash, D), May, 288

C

Capillary barrier
A Physical Model for Sloping Capillary Barriers (Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG), March, 173

Characteristic curve
Determination of the Soil Water Characteristic Curve of Highly Compressible Materials: Case Study of Pulp and Paper By-Product (Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G), March, 154

Clay
Horizontal Coefficient of Consolidation of Soft Bangkok Clay (Seah, TH, Tangthansup, B, and Wongsatian, P), Sept., 430
True Triaxial Testing System for Clay with Proportional-Integral-Differential (PID) Control (Mandeville, D and Penumadu, D), March, 134

Clay minerals
Free Swell Ratio and Clay Mineralogy of Fine-Grained Soils (Prakash, K and Sridharan, A), March, 220

Clays
Liquid Limit and Specific Surface of Clay Particles (Dolinar, B and Trauner, L), Nov., 580
Vane Shear Behavior of Soft Bangkok Clay (Seah, TH, Sangtian, N, and Chan, IC), Jan., 57

Coefficient of consolidation
Coefficient of Consolidation and its Correlation with Index Properties of Remolded Soils (Sridharan, A and Nagaraj, HB), Sept., 469

Compacted soil
Collapse Behavior of Compacted Clays in Suction-Controlled Triaxial Tests (Sun, DA, Matsuoka, H, and Xu, YF), July, 362

Compressibility
Coefficient of Consolidation and its Correlation with Index Properties of Remolded Soils (Sridharan, A and Nagaraj, HB), Sept., 469

Compressible soils
Determination of the Hydraulic Conductivity Function of a Highly Compressible Material Based on Tests with Saturated Samples (Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG), Nov., 614

Compression index
Use of 'Zero Controlled Gradient' Tests to Determine EOP Compression Behavior (Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM), May, 314

Computed tomography
Shear Band Characterization of Triaxial Sand Specimens Using Computed Tomography (Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M), Nov., 568

Cone penetration test
Experiments with a Miniature Piezocone in Thinly Layered Soil (Hird, CC and Sangtian, N), Jan., 67

Consolidation
Experimental Bench for Study of Settling-Consolidation Soil Formation (Alexis, A, Le bras, G, and Thomas, P), Nov., 557
Horizontal Coefficient of Consolidation of Soft Bangkok Clay (Seah, TH, Tangthansup, B, and Wongsatian, P), Sept., 430
Use of 'Zero Controlled Gradient' Tests to Determine EOP Compression Behavior (Sheahan, TC, DeGroot, DJ, Fu, Q, and Ryan, RM), May, 314

Cyclic
Triaxial System Measuring Loading-Rate Effects of Sand Deformation in Cycle Test (Hoque, E and Tatsuoka, F), Sept., 483

Cyclic stress ratio
Evaluation of Liquefaction Potential and Dynamic Properties of Silty Sand Using Cyclic Triaxial Testing (Sithharam, TG, GovindaRaju, L, and Srinivasa Murthy, BR), Sept., 423

D

Damping
Effect of Presence of Rigid Base within the Soil on the Dynamic Response of Rigid Surface Foundation (Mandal, A and Baidya, DK), Sept., 475

Deep foundations
Examination of Proof Test Extrapolation for Drilled Shafts (Ooi, P, Chang, B, and Seki, GY), March, 123
Using Electrical Conductivity to Estimate Properties of Mineral Slurries Used in Drilled Shaft Construction (Abichou, T, Tawfiq, K, and Abdelrazig, Y), Nov., 532

Digital camera
Strain Measurement of Geogrids Using a Video-Extensometer Technique (Shinoda, M and Bathurst, RJ), Sept., 456

Dilative sand
Digital Image Correlation to Evaluate Shear Banding in Dilative Sands (Rechenmacher, AL and Finno, RJ), Jan., 13

Direct simple shear test
Direct Simple Shear Testing for Post-Cyclic Degradation in Stiffness of Nonplastic Silt (Song, BW, Yasuhara, K, and Murakami, S), Nov., 607

Downhole test
Evaluation of Various Downhole Data Reduction Methods for Obtaining Reliable Vs Profiles (Kim, DS, Bang, ES, and Kim, WC), Nov., 585

Drains
Design of a Measurement Program for Bench-Scale PVD Remediation System Tests (Welker, AL and Gilbert, RB), May, 239

Drilled shaft
Examination of Proof Test Extrapolation for Drilled Shafts (Ooi, P, Chang, B, and Seki, GY), March, 123 Using Electrical Conductivity to Estimate Properties of Mineral Slurries Used in Drilled Shaft Construction (Abichou, T, Tawfiq, K, and Abdelrazig, Y), Nov., 532

Drying and wetting
A Modified Pressure Plate Apparatus (Leong, EC, Tripathy, S, and Rahardjo, H), May, 322

E

Electrical resistivity
Laboratory Investigations on Determination of Soil Electrical Resistivity (Sreedeep, S, Reshma, AC, and Singh, DN), July, 411

Embankment dams
Laboratory Tests on the Rate of Piping Erosion of Soils in Embarkment Dams (Wan, CF and Fell, R), May, 295

Expansive clay
Measurement of Crystalline Swelling in Expansive Clay (Likos, WJ), Nov., 540

Expansive clays
Granular Pile-Anchor Foundation (GPAF) System for Improving the Engineering Behavior of Expansive Clay Beds (Phanikumar, BR, Sharma, RS, Rao, AS, and Madhav, MR), May, 279

Expansive soil
Volumetric Shrinkage Strain Measurements in Expansive Soils Using Digital Imaging Technology (Puppala, AJ, Katha, B, and Hoyos, LR), Nov., 547

F

Fine-grained soils
Free Swell Ratio and Clay Mineralogy of Fine-Grained Soils (Prakash, K and Sridharan, A), March, 220

Fly ash
Influence of Soaking on Stress-Strain Characteristics of Fly Ash (Zhou, C, Yin, JH, and Ming, JP), July, 380

Foundation
Effect of Presence of Rigid Base within the Soil on the Dynamic Response of Rigid Surface Foundation (Mandal, A and Baidya, DK), Sept., 475

Frequency domain
Frequency Domain Determination of G Using Bender Elements (Greening, PD and Nash, D), May, 288

G

Geocomposite
Characterization of a Fiberglass Geotextile for Unsaturated In-Plane Water Transport (Stormont, JC and Ramos, R), March, 214

Geogrids
Tensile Test Method Effect on the Tensile Strength of Flexible PET Geogrids (Hsieh, CW and Lin, CK), Jan., 111

Geomaterials
A Direct Tensile Strength Testing Method for Unsaturated Geomaterials (Nahlawi, H, Chakrabarti, S, and Kodikara, J), July, 356

Geotechnical engineering
Analysis of Factors Influencing the Shear Deformation of Granular Materials (Assaad, A and Masad, E), Sept., 504

Geotextile
Characterization of a Fiberglass Geotextile for Unsaturated In-Plane Water Transport (Stormont, JC and Ramos, R), March, 214

Granular pile anchor foundation (GPAF)
Granular Pile-Anchor Foundation (GPAF) System for Improving the Engineering Behavior of Expansive Clay Beds (Phanikumar, BR, Sharma, RS, Rao, AS, and Madhav, MR), May, 279

H

Hollow cylinder apparatus
Measurement of Quasi-Elastic Stiffness Parameters of Dense Toyoura Sand in Hollow Cylinder Apparatus and Triaxial Apparatus with Bender Elements (Hayano, Y, Chaudhary, SK, and Kuwano, J), Jan., 23

Hydraulic conductivity function
Determination of the Hydraulic Conductivity Function of a Highly Compressible Material Based on Tests with Saturated Samples (Parent, SE, Cabral, A, Dell' Avanzi, E, and Zornberg, JG), Nov., 614

I

Image analysis
Evaluation of Woven Geotextile Pore Structure Parameters Using Image Analysis (Aydilek, AH and Edil, TB), Jan., 99

Impact-Echo method
Evaluation of the Base Condition of Drilled Shafts by the Impact-Echo Method (Soo, KD and Woo, KH), Sept., 496

Infiltration
A Soil Column Apparatus for Laboratory Infiltration Study (Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC), July, 347

Interactions
Interaction Between Hexagonal Wire Reinforcement and Rubber Tire Chips With and Without Sand Mixture (Youwai, S, Bergado, DT, and Supawiwat, N), May, 260

Interface friction
Reduction of Boundary Friction in Model Tests (Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF), Jan., 3

L

Large-scale probe
Development and Calibration of a Large-Scale Thermal Conductivity Probe (Hanson, JL, Neuhaeuser, S, and Yesiller, N), July, 393

Liquefaction
Evaluation of Liquefaction Potential and Dynamic Properties of Silty Sand Using Cyclic Triaxial Testing (Sithharam, TG, GovindaRaju, L, and Srinivasa Murthy, BR), Sept., 423
Liquefaction Testing of Layered Sand-Gravel Composites (Amini, F and Chakravrty, A.), Jan., 36

Liquid limit
Liquid Limit and Specific Surface of Clay Particles (Dolinar, B and Trauner, L), Nov., 580
Method to Rapidly Assess the Index Properties of Fine-Grained Dredged Materials (Lee, LT), Sept., 464

M

Model pile
Model Pile Pull-Out Tests Using Polyethylene Sheets to Reduce Downdrag on Cast In Situ Piles (Chow, SH and Wong, KS), May, 230

MSW behavior
Use of EPS Grains to Simulate the Behavior of MSW in Simple Shear (Simonini, P and De Ronch, M), Sept., 441

N

Nondestructive tests
Evaluation of the Base Condition of Drilled Shafts by the Impact-Echo Method (Soo, KD and Woo, KH), Sept., 496

O

Oxygen diffusion
Determination of the Diffusion Coefficient of Oxygen for a Cover System Including a Pulp and Paper By-Product (Cabral, AR, Tremblay, P, and Lefebvre, G), March, 184

P

Pavement engineering
Analysis of Factors Influencing the Shear Deformation of Granular Materials (Assaad, A and Masad, E), Sept., 504

Permeability
Permeability Tests in Rigid-Wall Permeameters: Determining the Degree of Saturation, Its Evolution and Its Influence on Test Results (Chapuis, RP), May, 304

Phase velocity
Characterization of SASW Phase Angle and Phase Velocity Measurement Uncertainty (Marosi, KT and Hiltunen, DR), March, 205

Physical model
A Physical Model for Sloping Capillary Barriers (Tami, D, Rahardjo, H, Leong, EC, and Fredlund, DG), March, 173

Piezocone
Experiments with a Miniature Piezocone in Thinly Layered Soil (Hird, CC and Sangtian, N), Jan., 67

Pile
Design and Construction of Three Instrumented Test Piles to Examine Time Dependent Pile Capacity Gain (Paikowsky, SG and Hajduk, EL), Nov., 515

Pile installation
Effect of Pile Installation Method on Pipe Pile Behavior in Sands (Paik, K and Salgado, R), Jan., 78

Piping
Laboratory Tests on the Rate of Piping Erosion of Soils in Embarkment Dams (Wan, CF and Fell, R), May, 295
Self-Healing of Concentrated Leaks at Core-Filter Interfaces in Earth Dams (Reddi, LN and Kakuturu, SP), Jan., 89

Plane strain
The Louisiana Plane Strain Apparatus for Soil Testing (Alshibli, KA, Godbold, DL, and Hoffman, K), July, 337

Pore water pressure
Design and Construction of Three Instrumented Test Piles to Examine Time Dependent Pile Capacity Gain (Paikowsky, SG and Hajduk, EL), Nov., 515

Pull-out test
Model Pile Pull-Out Tests Using Polyethylene Sheets to Reduce Downdrag on Cast In Situ Piles (Chow, SH and Wong, KS), May, 230

Pulp and paper by-products
Determination of the Diffusion Coefficient of Oxygen for a Cover System Including a Pulp and Paper By-Product (Cabral, AR, Tremblay, P, and Lefebvre, G), March, 184

R

Rainfall
A Flume for Assessing Flux Boundary Characteristics in Rainfall-Induced Slope Failure Studies (Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB), March, 145

Rate of strain
Effects of Back Pressure and Strain Rate Used in Triaxial Testing of Stabilized Organic Soils and Clays (Ahnberg, H), May, 250

Relative humidity
Testing Rockfill Under Relative Humidity Control (Oldecop, LA and Alonso, EE), May, 269

Rockfill
Testing Rockfill Under Relative Humidity Control (Oldecop, LA and Alonso, EE), May, 269

Rubber shredded tire
Interaction Between Hexagonal Wire Reinforcement and Rubber Tire Chips With and Without Sand Mixture (Youwai, S, Bergado, DT, and Supawiwat, N), May, 260

Runoff
A Flume for Assessing Flux Boundary Characteristics in Rainfall-Induced Slope Failure Studies (Rahardjo, H, Lee, TT, Leong, EC, and Rezaur, RB), March, 145

S

Sand-gravel composite
Liquefaction Testing of Layered Sand-Gravel Composites (Amini, F and Chakravrty, A.), Jan., 36

Sands
Measurement of Energy and Strength of Sand at Critical State (Muhunthan, B, Pillai, VS, and Olcott, D), March, 198

SASW
Characterization of SASW Phase Angle and Phase Velocity Measurement Uncertainty (Marosi, KT and Hiltunen, DR), March, 205

Saturation
Permeability Tests in Rigid-Wall Permeameters: Determining the Degree of Saturation, Its Evolution and Its Influence on Test Results (Chapuis, RP), May, 304

Sedimentation
Experimental Bench for Study of Settling-Consolidation Soil Formation (Alexis, A, Le bras, G, and Thomas, P), Nov., 557

Seepage
Closure to "Discussion of 'A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation' by Patrick J. Fox" by R. G. Robinson, T. S. Tan, and F. H. Lee (Robinson, RG, Tan, TS, and Lee, FH), July, 418
Discussion of "A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation" by R. G. Robinson, T. S. Tan, and F. H. Lee (Fox, PJ, Lee, J, and Qiu, T), July, 416

Seismic compression
Effect of Compaction Conditions on the Seismic Compression of Compacted Fill Soils (Whang, DH, Stewart, JP, and Bray, JD), July, 371

Shear band
Digital Image Correlation to Evaluate Shear Banding in Dilative Sands (Rechenmacher, AL and Finno, RJ), Jan., 13

Shear band thickness
Shear Band Characterization of Triaxial Sand Specimens Using Computed Tomography (Batiste, SN, Alshibli, KA, Sture, S, and Lankton, M), Nov., 568

Shear deformation
Analysis of Factors Influencing the Shear Deformation of Granular Materials (Assaad, A and Masad, E), Sept., 504

Shear strength
Measurement of Energy and Strength of Sand at Critical State (Muhunthan, B, Pillai, VS, and Olcott, D), March, 198

Shear tests
A Cylinder Shear Apparatus (Corfdir, A, Lerat, P, and Vardoulakis, I), Sept., 447

Shear wave velocity
Evaluation of Various Downhole Data Reduction Methods for Obtaining Reliable Vs Profiles (Kim, DS, Bang, ES, and Kim, WC), Nov., 585

Shrinkage strain
Volumetric Shrinkage Strain Measurements in Expansive Soils Using Digital Imaging Technology (Puppala, AJ, Katha, B, and Hoyos, LR), Nov., 547

Silt
Direct Simple Shear Testing for Post-Cyclic Degradation in Stiffness of Nonplastic Silt (Song, BW, Yasuhara, K, and Murakami, S), Nov., 607

Simple shear
Use of EPS Grains to Simulate the Behavior of MSW in Simple Shear (Simonini, P and De Ronch, M), Sept., 441

Sliding block test
Reduction of Boundary Friction in Model Tests (Fang, YS, Chen, TJ, Holtz, RD, and Lee, WF), Jan., 3

Slump test
Method to Rapidly Assess the Index Properties of Fine-Grained Dredged Materials (Lee, LT), Sept., 464

Soaking
Influence of Soaking on Stress-Strain Characteristics of Fly Ash (Zhou, C, Yin, JH, and Ming, JP), July, 380

Soil
Effect of Compaction Conditions on the Seismic Compression of Compacted Fill Soils (Whang, DH, Stewart, JP, and Bray, JD), July, 371
Laboratory Investigations on Determination of Soil Electrical Resistivity (Sreedeep, S, Reshma, AC, and Singh, DN), July, 411

Soil column
A Soil Column Apparatus for Laboratory Infiltration Study (Yang, H, Rahardjo, H, Wibawa, B, and Leong, EC), July, 347

Soil filters
Self-Healing of Concentrated Leaks at Core-Filter Interfaces in Earth Dams (Reddi, LN and Kakuturu, SP), Jan., 89

Soil plugging
Effect of Pile Installation Method on Pipe Pile Behavior in Sands (Paik, K and Salgado, R), Jan., 78

Soil testing
The Louisiana Plane Strain Apparatus for Soil Testing (Alshibli, KA, Godbold, DL, and Hoffman, K), July, 337

Soil water characteristic curve
Leak-Free Pressure Plate Extractor for Measuring the Soil Water Characteristic Curve (Wang, X and Benson, CH), March, 163

Soils
Effect of Leachate Composition on the Adsorption Properties of Two Soils (Du, YJ and Hayashi, S), July, 404

Suction
Closure to "Discussion of 'A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation' by Patrick J. Fox" by R. G. Robinson, T. S. Tan, and F. H. Lee (Robinson, RG, Tan, TS, and Lee, FH), July, 418
Determination of the Soil Water Characteristic Curve of Highly Compressible Materials: Case Study of Pulp and Paper By-Product (Cabral, AR, Planchet, L, Marinho, FA, and Lefebvre, G), March, 154
Discussion of "A Comparative Study of Suction-Induced Seepage Consolidation Versus Centrifuge Consolidation" by R. G. Robinson, T. S. Tan, and F. H. Lee (Fox, PJ, Lee, J, and Qiu, T), July, 416
Leak-Free Pressure Plate Extractor for Measuring the Soil Water Characteristic Curve (Wang, X and Benson, CH), March, 163
Testing the Hydromechanical Behavior of a Compacted Swelling Soil (Cuisinier, O and Masrouri, F), Nov., 598

Swelling soil
Testing the Hydromechanical Behavior of a Compacted Swelling Soil (Cuisinier, O and Masrouri, F), Nov., 598

T

Tensile strength
A Direct Tensile Strength Testing Method for Unsaturated Geomaterials (Nahlawi, H, Chakrabarti, S, and Kodikara, J), July, 356
Tensile Test Method Effect on the Tensile Strength of Flexible PET Geogrids (Hsieh, CW and Lin, CK), Jan., 111

Testing device
A Cylinder Shear Apparatus (Corfdir, A, Lerat, P, and Vardoulakis, I), Sept., 447

Thermal conductivity measurement
Development and Calibration of a Large-Scale Thermal Conductivity Probe (Hanson, JL, Neuhaeuser, S, and Yesiller, N), July, 393

Triaxial
Triaxial System Measuring Loading-Rate Effects of Sand Deformation in Cycle Test (Hoque, E and Tatsuoka, F), Sept., 483

Triaxial apparatus
Measurement of Quasi-Elastic Stiffness Parameters of Dense Toyoura Sand in Hollow Cylinder Apparatus and Triaxial Apparatus with Bender Elements (Hayano, Y, Chaudhary, SK, and Kuwano, J), Jan., 23

Triaxial test
Collapse Behavior of Compacted Clays in Suction-Controlled Triaxial Tests (Sun, DA, Matsuoka, H, and Xu, YF), July, 362
Volume Change Measurement of Soil Specimen in Triaxial Test (Leong, EC, Agus, SS, and Rahardjo, H), Jan., 47

True triaxial testing
True Triaxial Testing System for Clay with Proportional-Integral-Differential (PID) Control (Mandeville, D and Penumadu, D), March, 134

U

Unsaturated soil
A Modified Pressure Plate Apparatus (Leong, EC, Tripathy, S, and Rahardjo, H), May, 322
Measurement of Crystalline Swelling in Expansive Clay (Likos, WJ), Nov., 540

V

Video-extensometer
Strain Measurement of Geogrids Using a Video-Extensometer Technique (Shinoda, M and Bathurst, RJ), Sept., 456

Volume change
Volume Change Measurement of Soil Specimen in Triaxial Test (Leong, EC, Agus, SS, and Rahardjo, H), Jan., 47

W

Woven geotextile
Evaluation of Woven Geotextile Pore Structure Parameters Using Image Analysis (Aydilek, AH and Edil, TB), Jan., 99